



# SINGLE USE INSTRUMENTS

Product Catalog



*For Us, Caring is what  
Matters The Most*



[www.weldoninstruments.com](http://www.weldoninstruments.com)

**WELDON INSTRUMENTS** was established in 1961 by **Mr. S. M. Amin** (late) who is among the founders of SIMAP (The Surgical Instruments Manufacturers Association of Pakistan). Over the years Weldon Instruments has earned a firm reputation in the manufacturing of high quality products through continuous improvement and modernization, and is regarded as one of the best companies in the business.

In our quest for perfection, we are always ready to meet the highest manufacturing standards. Our high standards have attracted global critique and certifications practically from all those who matter. Achievement of **CE Marking, cGMP certification**, implementation of **ISO 9002 and ISO 13485** quality management systems are just a few milestones in the process of international standardization of the company. Weldon Instruments has also achieved the certification of **EN46000** and registered its items in Device Listing with the **FDA** of **USA**.

CARING **MATTERS THE MOST**



**WELDON** SINGLE USE INSTRUMENTS



**STANDARD SCALPEL HANDLE NO. 4, SOLID**  
WSU-001-001 5¼" (13.5cm)


**STANDARD SCALPEL HANDLE NO. 3, SOLID**  
WSU-001-002 4¾" (12cm)



**TAYLOR HAMMER**  
WSU-001-003 8" (20cm)



**BUCK HAMMER WITH NEEDLE & BRUSH**  
WSU-001-004 7" (18cm)



**LID SPREADER**  
WSU-001-005 3" WIDTH, 4½" LENGTH



**EYE SPECULUM (ONLY WIRE)**  
WSU-001-006 3" WIDTH, 4½" LENGTH



**MEASURING INSTRUMENT**  
WSU-001-007

www.weldoninstruments.com

SHARP/BLUNT



SHARP/SHARP



BLUNT/BLUNT



**STANDARD PATTERN OPERATING SCISSORS**

WSU-002-008	5" (13cm), STR
WSU-002-009	5½" (14cm), STR
WSU-002-010	6" (15.5cm), STR
WSU-002-011	6½" (16.5cm), STR
WSU-002-012	8" (20cm), STR
WSU-002-013	5" (13cm), CVD
WSU-002-014	5½" (14cm), CVD
WSU-002-015	6" (15.5cm), CVD
WSU-002-016	6½" (16.5cm), CVD
WSU-002-017	8" (20cm), CVD

**STANDARD PATTERN OPERATING SCISSORS**

WSU-002-018	5" (13cm), STR
WSU-002-019	5½" (14cm), STR
WSU-002-020	6" (15.5cm), STR
WSU-002-021	6½" (16.5cm), STR
WSU-002-022	8" (20cm), STR
WSU-002-023	5" (13cm), CVD
WSU-002-024	5½" (14cm), CVD
WSU-002-025	6" (15.5cm), CVD
WSU-002-026	6½" (16.5cm), CVD
WSU-002-027	8" (20cm), CVD

**STANDARD PATTERN OPERATING SCISSORS**

WSU-002-028	5" (13cm), STR
WSU-002-029	5½" (14cm), STR
WSU-002-030	6" (15.5cm), STR
WSU-002-031	6½" (16.5cm), STR
WSU-002-032	8" (20cm), STR
WSU-002-033	5" (13cm), CVD
WSU-002-034	5½" (14cm), CVD
WSU-002-035	6" (15.5cm), CVD
WSU-002-036	6½" (16.5cm), CVD
WSU-002-037	8" (20cm), CVD



**MAYO OPERATING SCISSORS**

WSU-002-038	5 ½" (14cm), STR
WSU-002-039	6" (15cm), STR
WSU-002-040	5 ½" (14cm), CVD
WSU-002-041	6" (15cm), CVD



**MAYO-STILLE OPERATING SCISSORS**

WSU-002-042	6" (15cm), STR
WSU-002-043	6¾" (17cm), STR
WSU-002-044	6" (15cm), CVD
WSU-002-045	6¾" (17cm), CVD



# WELDON SINGLE USE INSTRUMENTS



BLUNT/BLUNT

### METZENBAUM DISSECTING SCISSORS

WSU-003-046	5½" (14cm), STR
WSU-003-047	6¼" (16cm), STR
WSU-003-048	7" (18cm), STR
WSU-003-049	9" (23cm), STR
WSU-003-050	5½" (14cm), CVD
WSU-003-051	6¼" (16cm), CVD
WSU-003-052	7" (18cm), CVD
WSU-003-053	9" (23cm), CVD

BLUNT/BLUNT



### METZENBAUM-NELSON DISSECTING SCISSORS

WSU-003-054	7" (18cm), STR
WSU-003-055	9" (23cm), STR
WSU-003-056	7" (18cm), CVD
WSU-003-057	9" (23cm), CVD



### DOYEN OPERATING SCISSORS

WSU-003-058	7" (17.5cm), STR
WSU-003-059	7" (17.5cm), CVD



### KILNER FINE OPERATING SCISSORS

WSU-003-060	4¾" (12cm), STR
WSU-003-061	4¾" (12cm), CVD



### REYNOLDS FINE OPERATING SCISSORS

WSU-003-062	6" (15cm), STR
WSU-003-063	6" (15cm), CVD



### JOSEPH FINE OPERATING SCISSORS

WSU-003-064	5½" (14cm), STR
WSU-003-065	5½" (14cm), CVD



**KNOWLES BANDAGE SCISSORS**  
WSU-004-066 5½" (14cm)



**LISTER BANDAGE SCISSORS**  
WSU-004-067 5½" (14cm)



**BRAUN-STADLER EPIOSOTOMY SCISSORS**  
WSU-004-068 5½" (14cm)




**BUSCH UMBILICAL SCISSORS**  
WSU-004-069 6¼" (16cm), CVD ON SIDE




**SPENCER STITCH SCISSORS**  
WSU-004-070 5" (13cm)



**LITTAUER STITCH SCISSORS**  
WSU-004-071 5½" (14cm)





**IRIS SCISSOR**  
 WSU-005-072 4½" (11cm), STR  
 WSU-005-073 4½" (11cm), CVD



**FINE OPERATING SCISSORS**  
 WSU-005-074 4½" (11.5cm), STR  
 WSU-005-075 4¾" (12cm), STR  
 WSU-005-076 4½" (11.5cm), CVD  
 WSU-005-077 4¾" (12cm), CVD



**ENUCLEATION SCISSORS**  
 WSU-005-078 4½" (11cm)



**STEVENS TENOTOMY SCISSORS**  
 WSU-005-079 4½" (11.4cm), CVD, BLUNT TIPS



**STANDARD DRESSING FORCEPS**  
 WSU-005-080 4¼" (10.5cm)  
 WSU-005-081 5" (13cm)  
 WSU-005-082 5½" (14cm)  
 WSU-005-083 6¼" (16cm)  
 WSU-005-084 7" (18cm)



**STANDARD DRESSING FORCEPS**  
 WSU-005-085 5" (13cm), NARROW  
 WSU-005-086 5½" (14cm), NARROW  
 WSU-005-087 6¼" (16cm), NARROW





**ADSON DRESSING FORCEPS**

WSU-006-088	4 3/4" (12cm), SERRATED
WSU-006-089	6" (15cm), SERRATED



**MICRO-ADSON DRESSING FORCEPS**

WSU-006-090	4 3/4" (12cm)
-------------	---------------



**SEMKEN DRESSING FORCEPS**

WSU-006-091	5" (12.5cm)
WSU-006-092	6" (15cm)



**McINDOE DRESSING FORCEPS**

WSU-006-093	6" (15cm)
-------------	-----------



1 x 2 TEETH

**TISSUE FORCEPS STANDARD**


WSU-006-094	4 1/4" (10.5cm), 1 x 2 TEETH
WSU-006-095	4 1/2" (11.5cm), 1 x 2 TEETH
WSU-006-096	5" (13cm), 1 x 2 TEETH
WSU-006-097	5 1/2" (14cm), 1 x 2 TEETH
WSU-006-098	6 1/4" (16cm), 1 x 2 TEETH
WSU-006-099	7" (18cm), 1 x 2 TEETH



1 x 2 TEETH

**TISSUE FORCEPS FINE**

WSU-006-100	5" (13cm), 1 x 2 TEETH
WSU-006-101	5 1/2" (14cm), 1 x 2 TEETH
WSU-006-102	6 1/4" (16cm), 1 x 2 TEETH
WSU-006-103	7" (18cm), 1 x 2 TEETH





**ADSON TISSUE FORCEPS**  
 WSU-007-104 4 3/4" (12cm), 1 x 2 TEETH  
 WSU-007-105 6" (15cm), 1 x 2 TEETH



**MICRO-ADSON FORCEPS**  
 WSU-007-106 4 3/4" (12cm), 1 x 2 TEETH



**SEMKEN TISSUE FORCEPS**  
 WSU-007-107 5" (12.5cm), 1 x 2 TEETH  
 WSU-007-108 6" (15cm), 1 x 2 TEETH



**FEILCHENFELD SPLINTER FORCEPS**  
 WSU-007-109 4 1/2" (11.5cm)





**KELLY ARTERY FORCEPS**

WSU-008-110	5½" (14cm), STR
WSU-008-111	5½" (14cm), CVD



**RANKIN-KELLY ARTERY FORCEPS**

WSU-008-112	6 ¼" (16cm), STR
WSU-008-113	6 ¼" (16cm), CVD



**HALSTEAD-MOSQUITO ARTERY FORCEPS**

WSU-008-114	5½" (14cm), STR
WSU-008-115	7" (18cm), STR
WSU-008-116	5½" (14cm), CVD
WSU-008-117	7" (18cm), CVD



**HALSTEAD-MOSQUITO ARTERY TISSUE FORCEPS**

WSU-008-118	5" (12.5cm), 1 x 2 TEETH, STR
WSU-008-119	5½" (14cm), 1 x 2 TEETH, STR
WSU-008-120	5" (12.5cm), 1 x 2 TEETH, CVD
WSU-008-121	5½" (14cm), 1 x 2 TEETH, CVD




**ARTERY FORCEPS**

WSU-008-122	4 ¾" (12cm), 1 x 2 TEETH, STR
WSU-008-123	4 ¾" (12cm), 1 x 2 TEETH, CVD



**CRILE ARTERY FORCEPS**

WSU-008-124	5½" (14cm), STR
WSU-008-125	6¼" (16cm), STR
WSU-008-126	5½" (14cm), CVD
WSU-008-127	6¼" (16cm), CVD



# WELDON SINGLE USE INSTRUMENTS



1 x 2 TEETH



## KOCHER (OCHSNER) ARTERY FORCEPS

WSU-009-128	5½" (14cm), STR, 1 x 2 TEETH
WSU-009-129	6½" (16cm), STR, 1 x 2 TEETH
WSU-009-130	7" (18cm), STR, 1 x 2 TEETH
WSU-009-131	8" (20cm), STR, 1 x 2 TEETH
WSU-009-132	5½" (14cm), CVD, 1 x 2 TEETH
WSU-009-133	6½" (16cm), CVD, 1 x 2 TEETH
WSU-009-134	7" (18cm), CVD, 1 x 2 TEETH
WSU-009-135	8" (20cm), CVD, 1 x 2 TEETH

## OVERHOLT ARTERY FORCEPS

WSU-009-136	5½" (14cm), STR
WSU-009-137	7" (18cm), STR
WSU-009-138	8" (20cm), STR
WSU-009-139	9" (23cm), STR
WSU-009-140	5½" (14cm), CVD
WSU-009-141	7" (18cm), CVD
WSU-009-142	8" (20cm), CVD
WSU-009-143	9" (23cm), CVD

## ROCHESTER-PEAN ARTERY FORCEPS

WSU-009-144	5½" (14cm), STR
WSU-009-145	6½" (16cm), STR
WSU-009-146	7" (18cm), STR
WSU-009-147	8¾" (22cm), STR
WSU-009-148	5½" (14cm), CVD
WSU-009-149	6½" (16cm), CVD
WSU-009-150	7" (18cm), CVD
WSU-009-151	8¾" (22cm), CVD



## PEAN ARTERY FORCEPS

WSU-009-152	5" (13cm), STR
WSU-009-153	5½" (14cm), STR
WSU-009-154	6¼" (16cm), STR
WSU-009-155	5" (13cm), CVD
WSU-009-156	5½" (14cm), CVD
WSU-009-157	6¼" (16cm), CVD

## KOCHER ARTERY FORCEPS

WSU-009-158	5" (13cm), STR
WSU-009-159	5½" (14cm), STR
WSU-009-160	6¼" (16cm), STR
WSU-009-161	5" (13cm), CVD
WSU-009-162	5½" (14cm), CVD
WSU-009-163	6¼" (16cm), CVD

## BACKHAUS TOWEL FORCEPS

WSU-009-164	4½" (11cm)
WSU-009-165	5" (13cm)
WSU-009-166	6" (15cm)



**POZZI TENACULUM FORCEPS**

WSU-010-167 10¼" (25.5cm)




**GROSS-MAIER DRESSING & COTTON SWAB FORCEPS**

WSU-010-168	8" (20cm), STR
WSU-010-169	8¾" (22cm), STR
WSU-010-170	10" (25cm), STR
WSU-010-171	8" (20cm), CVD
WSU-010-172	8¾" (22cm), CVD
WSU-010-173	10" (25cm), CVD



**FOERSTER SWAB SPONGE HOLDING FORCEPS**

WSU-010-174	8" (20cm), STR, SERRATED
WSU-010-175	9½" (24cm), STR, SERRATED
WSU-010-176	8" (20cm), STR, SMOOTH
WSU-010-177	9½" (24cm), STR, SMOOTH
WSU-010-178	8" (20cm), CVD, SERRATED
WSU-010-179	9½" (24cm), CVD, SERRATED
WSU-010-180	8" (20cm), CVD, SMOOTH
WSU-010-181	9½" (24cm), CVD, SMOOTH



# WELDON SINGLE USE INSTRUMENTS



### MAYO-HEGAR NEEDLE HOLDERS

WSU-011-182	5 1/2" (14cm)
WSU-011-183	6 1/4" (16cm)
WSU-011-184	7" (18cm)
WSU-011-185	8" (20cm)
WSU-011-186	9 1/2" (24cm)



### WEBSTER NEEDLE HOLDERS

WSU-011-187	5" (13cm)
WSU-011-188	5 1/2" (14cm)
WSU-011-189	6" (15cm)



### HALSEY NEEDLE HOLDERS

WSU-011-190	5" (13cm)
-------------	-----------



### CRILE WOOD NEEDLE HOLDERS

WSU-011-191	6" (15cm)
-------------	-----------



### RETRACTOR DESMARRES

WSU-011-192	6 1/4" (16cm), 10mm
WSU-011-193	6 1/4" (16cm), 14mm



### MINI-LANGENBECK RETRACTOR

WSU-011-194	6 1/4" (16cm), 10 x 6mm
WSU-011-195	6 1/4" (16cm), 20 x 6mm



### MINI-LANGENBECK RETRACTOR

WSU-011-196	6 1/4" (16cm), 2 BLUNT PRONGS
WSU-011-197	6 1/4" (16cm), 2 SHARP PRONGS





**SCHWARZ NASAL SPECULA**

WSU-112-198	5½" (14cm), small
WSU-112-199	5½" (14cm), medium
WSU-112-200	5½" (14cm), large




**VIENNE NASAL SPECULA**

WSU-012-201	5½" (14.5cm), small
WSU-012-202	5½" (14.5cm), medium
WSU-012-203	5½" (14.5cm), large



**HARTMAN NASAL SPECULA**

WSU-012-204	6¼" (16cm), small
WSU-012-205	6¼" (16cm), medium
WSU-012-206	6¼" (16cm), large



# WELDON SINGLE USE INSTRUMENTS

## DISPOSABLE BIPOLAR FORCEPS



- 

WE-046-DBF  
Jeweler # 5  
11.5 cm
- 

WE-047-DBF  
Cushing  
20.0 cm
- 

WE-048-DBF  
Jansen Bayonet  
17.8 cm
- 

WE-049-DBF  
Jansen Irrigation  
15.2 cm
- 

WE-050-DBF  
Hardy Bayonet  
21.6 cm
- 

WE-051-DBF  
Bayonet Forceps  
20.0 cm
- 

WE-052-DBF  
Straight Forceps  
20.0 cm
- 

WE-053-DBF  
Staright Forceps  
15.2 cm
- 

WE-054-DBF  
Bayonet Forceps  
17.8 cm
- 

Disposable Bipolar Cable  
4.0 m
- 

WE-055-DBF  
Staright Forceps  
17.8 cm
- 

WE-056-DBF  
Staright Forceps  
15.2 cm

www.weldoninstruments.com

Available tips sizes: 0.3mm, 0.5mm, 1.0mm, 1.5mm, 2.0mm Or as per order.



ISO 13485  
cGMP Approved  
FDA Device Listed  
ISO 9001 Certified

[www.weldoninstruments.com](http://www.weldoninstruments.com)



**WELDON**  
INSTRUMENTS

**WELDON INSTRUMENTS**

66-C, Ghalib Road, Industrial Estate,  
Sialkot - Pakistan

Tel: +92 52 3241483 / 3241484

Fax: +92 52 3241482

Email: [junaid@weldoninstruments.com](mailto:junaid@weldoninstruments.com)

[waqas@weldoninstruments.com](mailto:waqas@weldoninstruments.com)

Web: [www.weldoninstruments.com](http://www.weldoninstruments.com)